

## Laboratory-/ System Power Supplies

**TET Electronics / IndustrieAlpine GmbH & Co. KG**

All prices are EX-WORK without packing. Prices are subject to change without notice. Please ask for an actual quotation.

- Laboratory-/ System Power Supplies 500 W to 1200 W (ARGOS-Series)
- Laboratory-/ System Power Supplies 1000 W to 1,6 kW (MS-Series)
- Laboratory-/ System Power Supplies 2,5 kW to 5 kW (HERCULES-Ser.)
- Laboratory-/ System Power Supplies 200 W (HELLAS-Series)
- Laboratory-/ System Power Supplies to 2 kW (ATLAS-Series)

## ARGOS-500 (Laboratory-/ System Power Supplies 500W)

| Model  | Voltage (Volt) | Current (Ampere) | Price / EUR |
|--|----------------|------------------|-------------|
| <b><u>ARGOS 500W</u></b>                                       |                |                  |             |
| <b>All Prices with digital LED-Display and RS232 including</b> |                |                  |             |
| Argos 8 - 63   | 0 - 8          | 0 - 63           | 2.070,--    |
| Argos 15 - 35  | 0 - 15         | 0 - 35           | 2.050,--    |
| Argos 20 - 25  | 0 - 20         | 0 - 25           | 1.950,--    |
| Argos 30 - 17  | 0 - 30         | 0 - 17           | 1.950,--    |
| Argos 40 - 13  | 0 - 40         | 0 - 13           | 1.950,--    |
| Argos 60 - 8,5   | 0 - 60         | 0 - 8,5          | 1.950,--    |
| Argos 100 - 5  | 0 - 100        | 0 - 5            | 1.950,--    |
| Argos 160 - 3,5  | 0 - 160        | 0 - 3,5          | 1.990,--    |
| Argos 200 - 2,5  | 0 - 200        | 0 - 2,5          | 2.000,--    |
| Argos 250 - 2  | 0 - 250        | 0 - 2            | 2.000,--    |
| Argos 300 - 1,75   | 0 - 300        | 0 - 1,75         | 2.050,--    |
| Argos 350 - 1,5  | 0 - 350        | 0 - 1,5          | 2.050,--    |
| Argos 500 - 1  | 0 - 500        | 0 - 1            | 2.070,--    |
| Argos 1000 - 0,5   | 0 - 1000       | 0 - 0,5          | 2.100,--    |
| Argos 1200 - 0,5   | 0 - 1200       | 0 - 0,5          | 2.100,--    |
| <br>   |                |                  |             |
| <b><u>ARGOS 1000W</u></b>                                      |                |                  |             |
| Argos 8 - 125  | 0 - 8          | 0 - 125          | 2.650,--    |
| Argos 15 - 70  | 0 - 15         | 0 - 70           | 2.530,--    |
| Argos 20 - 50  | 0 - 20         | 0 - 50           | 2.530,--    |
| Argos 30 - 35  | 0 - 30         | 0 - 35           | 2.530,--    |
| Argos 40 - 25  | 0 - 40         | 0 - 25           | 2.530,--    |
| Argos 60 - 18  | 0 - 60         | 0 - 18           | 2.530,--    |
| Argos 100 - 10   | 0 - 100        | 0 - 10           | 2.530,--    |
| Argos 160 - 6,5  | 0 - 160        | 0 - 6,5          | 2.570,--    |
| Argos 200 - 5  | 0 - 200        | 0 - 5            | 2.600,--    |
| Argos 250 - 4  | 0 - 250        | 0 - 4            | 2.600,--    |
| Argos 300 - 3,5  | 0 - 300        | 0 - 3,5          | 2.650,--    |
| Argos 350 - 3  | 0 - 350        | 0 - 3            | 2.650,--    |
| Argos 500 - 2  | 0 - 500        | 0 - 2            | 2.700,--    |
| Argos 1000 - 1   | 0 - 1000       | 0 - 1            | 2.700,--    |
| Argos 1200 - 0,8   | 0 - 1200       | 0 - 0,8          | 2.700,--    |

**Other voltage and current values on request**

## ARGOS-1200 (Laboratory-/ System Power Supplies 1200W)

| Model  | Voltage (Volt) | Current (Ampere) | Price / EUR |
|--|----------------|------------------|-------------|
| <b>ARGOS 1200W</b>   |                |                  |             |
| <b>All Prices with digital LED-Display and RS232 including</b> |                |                  |             |
| Argos 30 - 40  | 0 - 30         | 0 - 40           | 2.550,--    |
| Argos 40 - 30  | 0 - 40         | 0 - 30           | 2.550,--    |
| Argos 60 - 20  | 0 - 60         | 0 - 20           | 2.550,--    |
| Argos 100 - 12   | 0 - 100        | 0 - 12           | 2.550,--    |
| Argos 160 - 7,5  | 0 - 160        | 0 - 7,5          | 2.600,--    |
| Argos 200 - 6  | 0 - 200        | 0 - 6            | 2.630,--    |
| Argos 250 - 4,8  | 0 - 250        | 0 - 4,8          | 2.630,--    |
| Argos 300 - 4  | 0 - 300        | 0 - 4            | 2.650,--    |
| Argos 350 - 3,4  | 0 - 350        | 0 - 3,4          | 2.650,--    |
| Argos 500 - 2,4  | 0 - 500        | 0 - 2,4          | 2.700,--    |
| Argos 1000 - 1,2   | 0 - 1000       | 0 - 1,2          | 2.700,--    |
| Argos 1200 - 1,0   | 0 - 1200       | 0 - 1,0          | 2.700,--    |

Other voltage and current values on request

## ARGOS-Autoranging (Laboratory-/ System Power Supplies 1000W)

**All Prices with digital LED-Display and RS232 including**

| Model                      | U1 (V) | I1 (A) | U2 (V) | I2 (A) | Price / EUR |
|----------------------------|--------|--------|--------|--------|-------------|
| Argos 20 / 40 ... 40 / 20  | 20     | 40     | 40     | 20     | 2.700,--    |
| Argos 30 / 26 ... 60 / 13  | 30     | 26     | 60     | 13     | 2.700,--    |
| Argos 50 / 16 ... 100 / 8  | 50     | 16     | 100    | 8      | 2.700,--    |
| Argos 100 / 8 ... 200 / 4  | 100    | 8      | 200    | 4      | 2.800,--    |
| Argos 200 / 4 ... 400 / 2  | 200    | 4      | 400    | 2      | 2.890,--    |
| Argos 500 / 2 ... 1000 / 1 | 500    | 2      | 1000   | 1      | 2.890,--    |

### Options:

|     |  |             |
|-----|--|-------------|
| 04  | aktive PFC (Power Faktor Correction)                       | on request. |
| 06  | Auto negotiation 115V/230V                                 | on request. |
| 07  | 115 VAC Input (fixed)                                      | 110,--      |
| 11  | slowly current limit (untill 50% more)                     | on request. |
| 34  | IEEE-488 -Interface, Listener/Talker                       | 850,--      |
| 51  | Analoge Display (no RS232 including)                       | on request. |
| 7x  | Output cut off   | on request. |
| 80  | Load output up to 10A                                      | on request. |
| 84  | Internal serial Converterbox for Voltage/Current- Programm | 950,--      |
| 99  | Front panel 19" brackets                                   | 55,--       |
| LAN | Ethernet   | 420,--      |
| USB | USB 2.0 (for industrial Environment)                       | 85,--       |

## Power Supplies 2,5kW (HERCULES - Series)

*Input 1-Phase* **All Prices with digital LED-Display and RS232 including**

| Model               | Voltage (Volt) | Current (Ampere) | Price / EUR |
|---------------------|----------------|------------------|-------------|
| Hercules 20 - 125   | 0 - 20         | 0 - 125          | 3.920,--    |
| Hercules 30 - 83    | 0 - 30         | 0 - 83           | 3.920,--    |
| Hercules 40 - 63    | 0 - 40         | 0 - 63           | 3.920,--    |
| Hercules 60 - 42    | 0 - 60         | 0 - 42           | 3.920,--    |
| Hercules 100 - 25   | 0 - 100        | 0 - 25           | 3.970,--    |
| Hercules 250 - 10   | 0 - 250        | 0 - 10           | 4.020,--    |
| Hercules 350 - 7    | 0 - 350        | 0 - 7            | 4.050,--    |
| Hercules 450 - 5, 5 | 0 - 450        | 0 - 5,5          | 4.050,--    |
| Hercules 600 - 4    | 0 - 600        | 0 - 4            | 4.650,--    |
| Hercules 800 - 3    | 0 - 800        | 0 - 3            | 4.650,--    |

Other voltage and current values on request

## Power Supplies 5kW (HERCULES - Series)

*Input 3-Phase* **All Prices with digital LED-Display and RS232 including**

| Model             | Voltage (Volt) | Current (Ampere) | Price / EUR |
|-------------------|----------------|------------------|-------------|
| Hercules 20 - 250 | 0 - 20         | 0 - 250          | 6.450,--    |
| Hercules 30 - 167 | 0 - 30         | 0 - 167          | 6.450,--    |
| Hercules 40 - 125 | 0 - 40         | 0 - 125          | 6.450,--    |
| Hercules 60 - 84  | 0 - 60         | 0 - 84           | 6.450,--    |
| Hercules 100 - 50 | 0 - 100        | 0 - 50           | 6.510,--    |
| Hercules 250 - 20 | 0 - 250        | 0 - 20           | 6.600,--    |
| Hercules 350 - 14 | 0 - 350        | 0 - 14           | 6.650,--    |
| Hercules 450 - 11 | 0 - 450        | 0 - 11           | 7.350,--    |
| Hercules 600 - 8  | 0 - 600        | 0 - 8            | 7.350,--    |
| Hercules 800 - 6  | 0 - 800        | 0 - 6            | 7.350,--    |

Other voltage and current values on request

Opt. 11 not avail.

## Power Supplies 2,5kW (HERCULES - Autoranging)

**All Prices with digital LED-Display and RS232 including**

| Model                          | U1 (V) | I1 (A) | U2 (V) | I2 (A) | Price / EUR |
|--------------------------------|--------|--------|--------|--------|-------------|
| Hercules 20 / 100 ... 40 / 50  | 20     | 100    | 40     | 50     | 4.150,--    |
| Hercules 30 / 60 ... 60 / 30   | 30     | 60     | 60     | 30     | 4.150,--    |
| Hercules 50 / 40 ... 100 / 20  | 50     | 40     | 100    | 20     | 4.200,--    |
| Hercules 100 / 20 ... 200 / 10 | 100    | 20     | 200    | 10     | 4.230,--    |
| Hercules 200 / 10 ... 400 / 5  | 200    | 10     | 400    | 5      | 4.230,--    |
| Hercules 400 / 5 ... 800 / 2,5 | 400    | 5      | 800    | 2,5    | 4.850,--    |

Other voltage and current values on request

### Options

|     |   |            |
|-----|---|------------|
| 11  | Delayed current limitation (50% $I_{rated}$ ) | on request |
| 17  | Mains Input 120/208VAC $\pm 10\%$ , 3phase    | 165,--     |
| 34  | IEEE-488/RS232 Interface, Listener/Talker     | 850,--     |
| 51  | Analoge Gauge (no RS232 avail.)               | on request |
| 80  | Load output up to 10A                         | on request |
| LAN | Ethernet                                      | on request |
| USB | USB 2.0                                       | 85,--      |

## HELLAS – Series (Laboratory-/ System Power Supplies 200 W)

**All Prices with digital LED-Display and RS232 including**

| Model            | Voltage (Volt) | Current (Ampere) | Price / EUR |
|------------------|----------------|------------------|-------------|
| Hellas 20 - 10   | 0 - 20         | 0 - 10           | 1.260,--    |
| Hellas 40 - 5    | 0 - 40         | 0 - 5            | 1.260,--    |
| Hellas 70 - 3    | 0 - 70         | 0 - 3            | 1.260,--    |
| Hellas 160 - 1,3 | 0 - 160        | 0 - 1,3          | 1.280,--    |

Other voltage and current values on request

### Options:

|     |   |             |
|-----|---|-------------|
| 07  | Mains input: 115 VAC                      | 95,--       |
| 34  | IEEE-488/RS232-Interface, Listener/Talker | 850,--      |
| 51  | Analoge Anzeigen (no RS232 avail)         | on request  |
| 98  | 19" rack mounting kit                     | 240,--      |
| 98a | 19" rack mounting kit with housing        | 360,--      |
| LAN | Ethernetschnittstelle                     | on request. |
| USB | USB 2.0                                   | 85,--       |

## ATLAS I – Series (Laboratory-/ System Power Supplies 1,2kW)

**All Prices with digital LED-Display and RS232 including**

| Model          | Voltage (Volt) | Current (Ampere) | Price / EUR |
|----------------|----------------|------------------|-------------|
| AtlasI 20 - 50 | 0 - 20         | 0 - 50           | 3.360,--    |
| AtlasI 30 - 40 | 0 - 30         | 0 - 40           | 3.360,--    |
| AtlasI 40 - 30 | 0 - 40         | 0 - 30           | 3.360,--    |
| AtlasI 60 - 20 | 0 - 60         | 0 - 20           | 3.600,--    |
| AtlasI 160 - 8 | 0 - 160        | 0 - 8            | 3.600,--    |

Other voltage and current values on request

## ATLAS II – Series (Laboratory-/ System Power Supplies 2kW)

**All Prices with digital LED-Display and RS232 including**

| Model            | Voltage (Volt) | Current (Ampere) | Price / EUR |
|------------------|----------------|------------------|-------------|
| AtlasII 20 - 70  | 0 - 20         | 0 - 70           | 4.650,--    |
| AtlasII 30 - 65  | 0 - 30         | 0 - 65           | 4.650,--    |
| AtlasII 40 - 50  | 0 - 40         | 0 - 50           | 4.650,--    |
| AtlasII 60 - 30  | 0 - 60         | 0 - 30           | 4.650,--    |
| AtlasII 160 - 13 | 0 - 160        | 0 - 13           | 4.990,--    |

Other voltage and current values on request

### Options

|     |   |            |
|-----|---|------------|
| 07  | Mains input: 115 VAC (fixed wiring)       | 95,--      |
| 17  | Other Mains inputs                        | on request |
| 34  | IEEE-488/RS232-Interface, Listener/Talker | 850,--     |
| 51  | Analoge Displays (no RS232)               | on request |
| 84  | Internal serial Converter Box             | 895,--     |
| LAN | Ethernet                                  | on request |
| USB | USB 2.0                                   | 85,--      |